

**From IV  
(See Rule 13)  
ANNUAL REPORT**

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	<b>ANUVIND HARKAWAT</b>
	(ii) Name of HCF or CBMWTF	:	<b>SALES PROMOTERS</b>
	(iii) Address for Correspondence	:	<b>Nagar Nigam Landfill Site, Jaisalmer Road, Barli Post Office, Jodhpur-342001</b>
	(iv) Address of Facility		<b>Nagar Nigam Landfill Site, Jaisalmer Road, Barli Post Office, Jodhpur-342001</b>
	(v)Tel. No, Fax. No	:	<b>6376583508</b>
	(vi) E-mail ID	:	<b>sp_cbwtf_jodh@yahoo.com</b>
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		<b>26.3027428, 72.8976945</b>
	(ix) Ownership of HCF or CBMWTF	:	<b>Private</b>
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	<b>Pending</b>
	(xi). Status of Consents under Water Act and AirAct	:	<b>Pending</b>
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	
	(ii) Non-bedded hospital	:	
	(iii) License number and its date of expiry		
3	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	<b>367</b>
	(ii) No of beds covered by CBMWTF	:	<b>9148</b>
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	<b>100 Kg per/Hr</b>
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	<b>833.49 Kg/day</b>
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	<b>Yellow Category : 20501.8 kg</b>
			<b>Red Category : 2428.24 kg</b>
			<b>White:</b>
			<b>Blue Category : 2422.15 kg</b>
			<b>General Solid waste: Nil</b>
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage :	Size :	
		Capacity :	

		Provision of on-site storage : (cold storage or any other provision) : <b>No</b>			
(ii) Details of the treatment or disposal facilities	Type of treatment	No. of units	Capacity kg/day	Quantity treated or disposed in kag per annum	
	Incinerators:	<b>1</b>	<b>100 Kg per/Hr</b>	<b>246021.6 kg</b>	
	Plasma Pyrolysis				
	Autoclaves :	<b>1</b>	<b>40 Kg per/Cycle</b>	<b>29138.92 kg</b>	
	Microwave				
	Hydroclave				
	Shredder :	<b>1</b>	<b>40 Kg per/Hr</b>	<b>29138.92 kg</b>	
	Needle tip cutter or -				
	destroyer				
	Sharps				
	encapsulation or concrete pit :	<b>1</b>	<b>7x7x4</b>	<b>484.43 kg</b>	
	Deep burial pits:				
	Chemical				
	disinfection:				
	Any other treatment equipment:				
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.) : <b>Nil</b>				
(iv) No of vehicles used for collection and transportation of biomedical waste:	<b>4</b>				
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum :	Quantity generated		Where disposed		
	Incineration				
	Ash	<b>2757.55 kg.</b>	<b>Municipal Landfill</b>		
	ETP Sludge				
(vi) Name of the Common Bio - Medical Waste Treatment Facility Operator through which wastes are disposed of :	<b>M/s. Sales Promoters</b>				
(vii) List of member HCF not handed over bio-medical waste.	<b>NA</b>				
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		<b>NA</b>		
7	Details trainings conducted on BMW		<b>NA</b>		
	(i) Number of trainings conducted on		<b>NA</b>		
	(ii) number of personnel trained		<b>NA</b>		
	(iii) number of personnel trained at the time of induction		<b>NA</b>		
	(iv) number of personnel not undergone any training so far		<b>NA</b>		

	(v) whether standard manual for training is available?		<b>NA</b>
	(vi) any other information) Details of the accident occurred during the year		<b>NA</b>
<b>8</b>	(i) Number of Accidents occurred		<b>NO</b>
	(ii) Number of the persons affected		<b>NO</b>
	(iii) Remedial Action taken (Please		<b>NO</b>
	(iv) Any Fatality occurred, details.		<b>NO</b>
<b>9</b>	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		<b>Yes</b>
	Details of Continuous online emission monitoring systems installed		<b>Name of Supplier : Vasthi Engineers Pvt. Ltd. Guntur, Andhra Pradesh</b>
<b>10</b>	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		<b>Yes</b>
<b>11</b>	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		<b>Yes</b>
<b>12</b>	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) <b>: High Pressure wet Ventury Scrubber</b>

**Certified that the above report is for the period from 01.01.2017 To 31.12.2017**

Date: **25 June, 2018**

Place: **Jodhpur**



(Vasnat Rathore)

Name and Signature of the Head of the Institution